

# New for 2023 Index

Page 2 - CL280 Side Fixing Vertical cleat  
(pig cleat)

Page 3 - CL281 & CL283 low profile nylon cleat  
(leech cleat)

Page 4 - CL282 Tie Down cleat for 1-3mm rope

# CL280 Side Fixing Vertical


a side-fixing version of the CL201 nylon cleat

- Available in Black and Dark red, with countersunk or hexagon fixing holes.
- Dark red, with hexagonal fixing holes is designed for through-bolting onto partitions, for holding ropes for Pig enrichment toys.
- Can be disinfected, sterilised and steam cleaned.
- Outdoor grade nylon for a long life.


Full Size  
(photo of  
pre-production  
3D print)



400kg  
850lb  
max.




Fixing  
CL280H  
to a wall or  
partition




Holds all types of natural and synthetic ropes, both braided and 3 strand.


Side fixing holes mean your hands are away from any sharp edges on fixing bolts.



CL280Hex has hexagonal fixing holes that hold (1/4") nuts.






CL280Csk has countersunk fixing holes.



6 - 12mm  $\varnothing$   
(1/4" - 1/2")  $\varnothing$



50gms  
1.8 ozs



Part No. Description

CL280Hex/Red/L	Side mount vertical, with hexagon fixing holes, Red, Loose packed.
CL280Csk/L	Side mount vertical, with countersunk fixing holes, Black, Loose packed.
CL280Csk/R	Side mount vertical, with countersunk fixing holes, Black, Retail pack.

(other variations available. depending on customer requirements.)




# CL281 & CL283

## Low profile nylon cleats for use on decks and sails

- Nylon versions of alloy CL241 & CL273.
- Covered fairlead for a snag-free profile.
- Same overall size as other sail cleats. Uses the same rivets and screws.



CL281 (black)




CL283 (black)



CL281W (white)




CL283W (white)




Ideal for low profile, snag-free applications on dinghies.


White cleats designed for sails



Line runs straight down



Line can be reached from both sides of sail



Sew or rivet onto sails.



White cleats available with backplate and rivets


Catalogue No	Cleat description
CL281/L	Fine Line (Port) (black) - Loose packed
CL281/R	Fine Line (Port) (black) - on Retail card
CL281W	White CL281 Cleat only
CL281W+P	White CL281 + Backplate
CL281W+PR	White CL281 + Backplate +2 Rivets
CL283/L	Fine Line (Starboard) (black) - Loose packed
CL283/R	Fine Line (Starboard) (black) - on Retail card
CL283W	White CL283 Cleat only
CL283W+P	White CL283 + Backplate
CL283W+PR	White CL283 + Backplate +2 Rivets




2 - 5mm  $\varnothing$   
1/16" - 3/16"  $\varnothing$




10gms  
0.3 ozs




M4  
#8-32 (5/32")



4.2mm  
N°8



4mm  
5/32"








# CL282 Micros Tie down cleat

for use on 1-3mm quality ropes, max holding power 50kgs

- Unique 4 tooth Clamcleat® design holds small ropes at high loads.
- One end is fixed. Cord is easily rigged and released. Unique design.
- CL282 Black & CL282W White, made from outdoor grade nylon for a long life.
- Developed after a request by a visitor to our stand at the METS trade show.
- Applications include tie-downs, dinghy & canoe control lines, sunshades & adjustable tensioners.



Attach CL282:-



A 4mm carabiner (snap-hook) attaches this CL282 to a control surface such as a kayak steering pedal

